



# WHITE GREASE

## HIGH-QUALITY MULTI-FUNCTIONAL GREASE BASED ON PTFE



### TECHNICAL SPECIFICATIONS

Chemical base:	Lithium and calcium grease with mineral oils and P.T.F.E.
Colour:	White
Maximum temperature resistance:	125 °C
Minimum temperature resistance:	-30 °C

### STORAGE CONDITIONS

A minimum of 36 months.

Close the container properly and store in a dry, cool and frost-free location.

### PRODUCT DESCRIPTION

High-quality multi-functional grease based on PTFE.

### FIELD OF APPLICATION

For lubrication and protection of all types of sliding, ball and roller bearings, shafts, chains, gears, hinges and other rotating parts. Mechanically very stable at high pressure and high operating temperatures.

### PROPERTIES

- Resistant to high mechanical and thermal loads
- Rust and corrosion resistant
- Water resistant
- Water repellent
- Acid-free
- With extra precision spray hose

### PREPARATION

**Preliminary Surface Treatment:** Make sure that the surface is clean, dry, and free of grease.

### APPLICATION

#### Directions for use:

Spray surface(s) evenly from a distance of approx. 10-20 cm.

**Points of attention:** Use the additional spray hose integrated in the cap for optimum dosage.

Our advice is based on extensive research and practical experience. However, in view of the large variety of materials and the conditions under which our products are applied, we assume no responsibility for the results obtained and/or any damage caused by the use of the product. Nevertheless, our Service Department is always at your disposal for any advice needed.